


Velito/Velito presto



GT5 / GS5



GU4 / GZ4



GT6 / GS6



GU5 / GZ5



GT4 / GS4



GT7 / GS7



GU3 / GZ3



GT3 / GS3




GT0 / GS0



GU8 / GZ8




GT2 / GS2



GU2 / GZ2



GU6 / GZ6



GU9 / GZ9



GU1 / GZ1



Velito



Sammansättning

88% ull, 12% polyamid

Vikt

400g/m²

Slitstyrka

120.000 martindale cycles

Flamrisk

BS EN 1021 – 1 (cigarette)

BS EN 1021 – 2 (match)

Ljushärdighet

4 (EN ISO 105 – B02)

Beständighet mot gnidning

5, dry:5 (ISO 105 – X12)

Velito presto



Sammansättning

88% ull, 12% polyamid

Vikt

315g/m²

Slitstyrka

100.000 (martindale cycles)

Flamrisk

BS EN 1021 – 1 (cigarette)

BS EN 1021 – 2 (match)

Ljushärdighet

6 (EN ISO 105 – B02)

Beständighet mot gnidning



Blazer lite



YV7



YB3




YB6




YB4



YV4



YB2



YB1



Blazer lite

Sammansättning

100% ull

Vikt

355g/m²

Flamrisk

BS 476 Part 7 Class 1

BS 476 Part 6 Class 0

Ljushärdighet

5 (EN ISO 105 – B02)

Beständighet mot gnidning


4, dry:4 (ISO 105 – X12)




Lucia



Y47 / YE7




Y45 / YE5



Y48 / -



Y49 / YE9



Y59 / YF9



Y54 / YF5



Y42 / -



Y44 / YE4



Y40 / -



Y51 / -



Y50 / -



Y46 / YE6




Y43 / YE3



Y52 / YE2



Y58 / -



Y41 / YE1



- / YE8



Sammansättning

100% återvunnet polyester

Vikt

260g/m²

Flamrisk

BS EN 1021 – 1 (cigaretter)

BS EN 1021 – 2 (match)

BS 7176:2007 Low Hazard

BS 476 Part 7 Class 1

Ljushärdighet

6 (EN ISO 105 – B02)

Beständighet mot gnidning

4, dry:4 (ISO 105 – X12)

